



01.05.2025 r.











Control of roller shutters and awnings



			Product description		Net price
			Main unit		
	and change their operating based on connected devic	levice that collects and proce g status from the local netwo es as well as on data collecte	rk and through CLOUD access.	al devices and executive modules, enabling the user to view The EH-01 main unit also allows you to create automations e to create scenes and schedules. Dimension: 191x 102,5 x interface RJ-45, 4x TECH RS	
Name	Communication	EAN code	Catalogue number	Colour	Price
EH-01	wireless TECH WTP and wired Sinum SBUS	5902479665047 5902479665115	WG.23.0005 WG.23.0024	WHITE BLACK - Extended delivery time	482 €
And the second s	The EH-01 Lite main unit i view and change their ope automations based on cor	NUM CENTRAL DEVI s a device that collects and p erating status from the local nnected devices as well as or	CE processes information from ex network and through CLOUD a	ternal devices and executive modules, enabling the user to access. The EH-01 Lite main unit also allows you to create s also possible to create scenes and schedules. Dimension	
Name	Communication	EAN code	Catalogue number	Colour	Price
EH-01 LITE	wireless TECH WTP	5902479667102	WG.23.0179	WHITE	356 €
	and wired Sinum SBUS		 witches - SINGLE serie	BLACK - Extended delivery time	
Mar nam				to any device connected to the SINUM smart home system.	
Name	Communication	EAN code	Catalogue number	Colour	Price
WS-01	wireless TECH WTP	5902479664828 5902479665146	WG.23.0008 WG.23.0071	WHITE BLACK - Extended delivery time	
		0502115000110			
WS-01m	wired Sinum SBUS	5902479666495 5902479666235	WG.23.0089 WG.23.0101	WHITE	79 €
WS-01m	WS-02 SWITCH 2x voltage output SINGLE series stylish glas	5902479666235	WG.23.0089 WG.23.0101		79€
WS-01m	WS-02 SWITCH 2x voltage output SINGLE series stylish glas	5902479666235 I 2 GANG s switches can be used not o cklight that informs about th EAN code	WG.23.0089 WG.23.0101 nly to control lightning, but als e device status (on/off). Catalogue number	WHITE to any device connected to the SINUM smart home system. Colour	79 € Price
t t	WS-02 SWITCH 2x voltage output SINGLE series stylish glas The switch has an LED bar	5902479666235 I 2 GANG s switches can be used not o cklight that informs about th EAN code 5902479664835	WG.23.0089 WG.23.0101 nly to control lightning, but als e device status (on/off). Catalogue number WG.23.0009	WHITE to any device connected to the SINUM smart home system. Colour WHITE	
r reference	WS-02 SWITCH 2x voltage output SINGLE series stylish glass The switch has an LED bar Communication	5902479666235 I 2 GANG s switches can be used not o cklight that informs about th EAN code	WG.23.0089 WG.23.0101 nly to control lightning, but als e device status (on/off). Catalogue number	WHITE to any device connected to the SINUM smart home system. Colour	
I I I I I I I I I I I I I I I I I I I	WS-02 SWITCH 2x voltage output SINGLE series stylish glass The switch has an LED bar Communication	5902479666235 I 2 GANG s switches can be used not o cklight that informs about th EAN code 5902479664835 5902479665184	WG.23.0089 WG.23.0101 nly to control lightning, but als e device status (on/off). Catalogue number WG.23.0009 WG.23.0073	WHITE O any device connected to the SINUM smart home system. Colour WHITE BLACK - Extended delivery time	Price
Name WS-02	WS-02 SWITCH 2x voltage output SINGLE series stylish glas The switch has an LED bar Communication wireless TECH WTP wired Sinum SBUS WS-03 SWITCH 2x voltage output + 1x pr SINGLE series stylish glas	5902479666235 I 2 GANG s switches can be used not o cklight that informs about th EAN code 5902479664835 5902479666488 5902479666228 I 3 GANG ogrammable virtual output	WG.23.0089 WG.23.0101 Inly to control lightning, but als e device status (on/off). Catalogue number WG.23.0009 WG.23.0073 WG.23.0088 WG.23.0102	WHITE to any device connected to the SINUM smart home system. Colour WHITE BLACK - Extended delivery time WHITE WHITE	Price
Name WS-02	WS-02 SWITCH 2x voltage output SINGLE series stylish glas The switch has an LED bar Communication wireless TECH WTP wired Sinum SBUS WS-03 SWITCH 2x voltage output + 1x pr SINGLE series stylish glas	5902479666235 I 2 GANG s switches can be used not of cklight that informs about th EAN code 5902479664835 5902479665184 5902479666288 I 3 GANG ogrammable virtual output s switches can be used not o	WG.23.0089 WG.23.0101 Inly to control lightning, but als e device status (on/off). Catalogue number WG.23.0009 WG.23.0073 WG.23.0088 WG.23.0102	WHITE to any device connected to the SINUM smart home system. Colour Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time	Price
Name WS-02 WS-02m	WS-02 SWITCH 2x voltage output SINGLE series stylish glas The switch has an LED bar Wireless TECH WTP wireless TECH WTP wired Sinum SBUS WS-03 SWITCH 2x voltage output + 1x pr SINGLE series stylish glas The switch has an LED bar Communication	5902479666235 2 GANG s switches can be used not o cklight that informs about th EAN code 5902479664835 5902479665184 5902479666488 5902479666228 3 GANG ogrammable virtual output s switches can be used not o cklight that informs about th	WG.23.0089 WG.23.0101 Inly to control lightning, but als e device status (on/off). Catalogue number WG.23.0009 WG.23.0073 WG.23.0088 WG.23.0102	WHITE Or any device connected to the SINUM smart home system. Colour WHITE BLACK - Extended delivery time BLACK - Extended delivery time or any device connected to the SINUM smart home system.	Price 82 €
Name WS-02 WS-02m	WS-02 SWITCH 2x voltage output SINGLE series stylish glas The switch has an LED bar Communication wireless TECH WTP wired Sinum SBUS WS-03 SWITCH 2x voltage output + 1x pr SINGLE series stylish glas The switch has an LED bar	5902479666235 I 2 GANG s switches can be used not o cklight that informs about th EAN code 5902479664835 5902479666488 590247966628 I 3 GANG ogrammable virtual output s switches can be used not o cklight that informs about th EAN code 5902479664842 5902479665191	WG.23.0089 WG.23.0101 wly to control lightning, but als e device status (on/off). Catalogue number WG.23.0009 WG.23.009 WG.23.0088 WG.23.0102 nly to control lightning, but als e device status (on/off). Catalogue number WG.23.0102 MG.23.0010 WG.23.0081	WHITE co any device connected to the SINUM smart home system. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time wo any device connected to the SINUM smart home system. co any device connected to the SINUM smart home system. wo any device connected to the SINUM smart home system. bo any device connected to the SINUM smart home system. BLACK - Extended delivery time	Price 82 € Price
Name WS-02 WS-02m	WS-02 SWITCH 2x voltage output SINGLE series stylish glas The switch has an LED bar Wireless TECH WTP wireless TECH WTP wired Sinum SBUS WS-03 SWITCH 2x voltage output + 1x pr SINGLE series stylish glas The switch has an LED bar Communication	5902479666235 I 2 GANG s switches can be used not of cklight that informs about th EAN code 5902479664835 5902479666184 590247966628 I 3 GANG ogrammable virtual output s switches can be used not of cklight that informs about th EAN code 5902479664842	WG.23.0089 WG.23.0101 Inly to control lightning, but als e device status (on/off). Catalogue number WG.23.0009 WG.23.0073 WG.23.0088 WG.23.0102 nly to control lightning, but als e device status (on/off). Catalogue number WG.23.0102 NG.23.0102	WHITE to any device connected to the SINUM smart home system. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time wHITE BLACK - Extended delivery time or any device connected to the SINUM smart home system. to any device connected to the SINUM smart home system. WHITE WHITE WHITE WHITE	Price 82 €
Name WS-02 WS-02m	WS-02 SWITCH 2x voltage output SINGLE series stylish glas The switch has an LED bar Wireless TECH WTP wireless TECH WTP wired Sinum SBUS WS-03 SWITCH 2x voltage output + 1x pr SINGLE series stylish glas The switch has an LED bar Communication wireless TECH WTP SINGLE series stylish glas The switch has an LED bar Wireless TECH WTP Wireless TECH WTP Wireless TECH WTP SINGLE series stylish glas The switch has an LED bar SINGLE series stylish glas The switch has an LED bar	5902479666235 2 GANG s switches can be used not o cklight that informs about th EAN code 5902479664835 5902479665184 5902479666488 5902479666228 3 GANG ogrammable virtual output EAN code 59024796664842 5902479666471 5902479666471 5902479666211 4 GANG ogrammable virtual output s switches can be used not o cklight that informs about th	WG.23.0089 WG.23.0101 Inly to control lightning, but als e device status (on/off). Catalogue number WG.23.0073 WG.23.0073 WG.23.0073 WG.23.0088 WG.23.0102 Inly to control lightning, but als e device status (on/off). Catalogue number WG.23.0102 WG.23.0010 WG.23.0010 WG.23.0010 WG.23.0103 WG.23.0103	WHITE co any device connected to the SINUM smart home system. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time Colour wHITE BLACK - Extended delivery time Colour wHITE BLACK - Extended delivery time oo any device connected to the SINUM smart home system. oo any device connected to the SINUM smart home system.	Price 82 € Price
Name WS-02 WS-02m Name WS-02 Name WS-03 WS-03m	WS-02 SWITCH 2x voltage output SINGLE series stylish glas The switch has an LED bail Communication wireless TECH WTP wired Sinum SBUS WS-03 SWITCH 2x voltage output + 1x pr SINGLE series stylish glas The switch has an LED bail Communication wireless TECH WTP SINGLE series stylish glas The switch has an LED bail Communication wireless TECH WTP wireless TECH WTP Wireless TECH WTP Wired Sinum SBUS WS-04 SWITCH 2x voltage output + 2x pr SINGLE series stylish glas	5902479666235 I 2 GANG s switches can be used not of cklight that informs about th EAN code 5902479664835 5902479666488 5902479666488 5902479666228 I 3 GANG ogrammable virtual output s switches can be used not of cklight that informs about th EAN code 5902479664842 5902479666471 5902479666211 I 4 GANG ogrammable virtual output s switches can be used not of s switc	WG.23.0089 WG.23.0101 wG.23.0101 Catalogue number WG.23.0009 WG.23.009 WG.23.009 WG.23.0073 WG.23.0088 WG.23.0102 nly to control lightning, but als e device status (on/off). Catalogue number WG.23.0102 NG.23.0010 WG.23.0011 WG.23.0090 WG.23.0103	WHITE co any device connected to the SINUM smart home system. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time Output Colour WHITE BLACK - Extended delivery time	Price 82 € Price



Photo			Product description		Net price
The star	2x voltage output A glass and stylish switch	fields that allow you to contr	controlling roller shutters conne	ected to the SINUM smart home system. The touch panel built-in voltage outputs. The switch has an LED backlight	
Name	Communication	EAN code	Catalogue number	Colour	Price
		5902479664859	WG.23.0021	WHITE	
WZ-02	wireless TECH WTP	5902479665245	WG.23.0075	BLACK - Extended delivery time	01 £
WZ-02m	wired Sinum SPUS	5902479666914	WG.23.0153	WHITE	91€
WZ-UZIN	wired Sinum SBUS	5902479666204	WG.23.0137	BLACK - Extended delivery time	
		Glass sw	vitches - FRAME seri	es	
		me included nes can be used not only to		device connected to the SINUM smart home system. The be mounted in SINUM glass frames or 55x55mm systems.	
Name	Communication	EAN code	Catalogue number	Colour	Price
FS-01	wireless TECH WTP	5902479664668	WG.23.0012	WHITE	
FS-01	WIREless TECH WTP	5902479665764	WG.23.0049	BLACK - Extended delivery time	87 €
FS-01m	wired Sinum SBUS	5902479666648	WG.23.0118	WHITE	07 C
		5902479666266	WG.23.0121	BLACK - Extended delivery time	
	switch has an LED backligh	nes can be used not only to nt that informs about the devi	ice status (on/off). Intended to b	device connected to the SINUM smart home system. The be mounted in SINUM glass frames or 55x55mm systems.	
Name	Communication	EAN code	Catalogue number		
		E00247066467E			Price
FS-02	wireless TECH WTP	5902479664675 5902479665771	WG.23.0013	WHITE	
FS-02	wireless TECH WTP	5902479664675 5902479665771 5902479666655			Price 90 €
FS-02 FS-02m	wireless TECH WTP wired Sinum SBUS	5902479665771	WG.23.0013 WG.23.0050	WHITE BLACK - Extended delivery time	
	wired Sinum SBUS FZ-02 ROLLER S 2x voltage output / no fra FRAME series glass switcl	5902479665771 5902479666655 5902479666259 SHUTTER CONTROLL me included res can be used not only to	WG.23.0013 WG.23.0050 WG.23.0119 WG.23.0122 ER control lightning, but also any d	WHITE BLACK - Extended delivery time WHITE	
	wired Sinum SBUS FZ-02 ROLLER S 2x voltage output / no fra FRAME series glass switcl	5902479665771 5902479666655 5902479666259 SHUTTER CONTROLL me included res can be used not only to	WG.23.0013 WG.23.0050 WG.23.0119 WG.23.0122 ER control lightning, but also any d	WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time	
FS-02m	wired Sinum SBUS FZ-02 ROLLER S 2x voltage output / no fra FRAME series glass switcl switch has an LED backligh Communication	5902479665771 5902479666655 5902479666259 SHUTTER CONTROLL me included nes can be used not only to nt that informs about the dev	WG.23.0013 WG.23.0050 WG.23.0119 WG.23.0122 ER control lightning, but also any d ice status (on/off). Intended to b	WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. The be mounted in SINUM glass frames or 55x55mm systems.	90€
FS-02m	wired Sinum SBUS FZ-02 ROLLER S 2x voltage output / no fra FRAME series glass switcl switch has an LED backligt	5902479665771 590247966655 5902479666259 SHUTTER CONTROLL me included nes can be used not only to at that informs about the dev EAN code 5902479664682 5902479665788	WG.23.0013 WG.23.0050 WG.23.0119 WG.23.0122 ER control lightning, but also any dice status (on/off). Intended to be Catalogue number WG.23.0014 WG.23.0051	WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. The be mounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time	90 € Price
FS-02m	wired Sinum SBUS FZ-02 ROLLER S 2x voltage output / no fra FRAME series glass switcl switch has an LED backligh Communication	5902479665771 590247966655 5902479666259 SHUTTER CONTROLL me included nes can be used not only to at that informs about the dev EAN code 5902479664682 59024796645788 5902479666921	WG.23.0013 WG.23.0050 WG.23.0119 WG.23.0122 ER control lightning, but also any dice status (on/off). Intended to b Catalogue number WG.23.0014 WG.23.0051 WG.23.0152	WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. The be mounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE	90 €
FS-02m	wired Sinum SBUS FZ-02 ROLLER 2x voltage output / no fra FRAME series glass switcl switch has an LED backlight Communication wireless TECH WTP wired Sinum SBUS FG GLASS FRAMM A glass frame designed for Suitable for the F, FS and I	5902479665771 590247966655 590247966655 5902479666259 SHUTTER CONTROLL me included nes can be used not only to nt that informs about the dev EAN code 5902479664682 5902479666921 5902479666242 5902479666242	WG.23.0013 WG.23.0050 WG.23.0119 WG.23.0122 ER control lightning, but also any dice status (on/off). Intended to be the status (on/off). Intended to be t	WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. The be mounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time or of the opening: 55x55 mm.	90 € Price 100 €
FS-02m	wired Sinum SBUS FZ-02 ROLLER 2x voltage output / no fra FRAME series glass switch switch has an LED backlight Communication wireless TECH WTP wired Sinum SBUS FG GLASS FRAMMI A glass frame designed for Suitable for the F, FS and I Type	5902479665771 590247966655 590247966655 5902479666259 SHUTTER CONTROLL me included hes can be used not only to nt that informs about the dev EAN code 5902479664682 5902479666921 5902479666242 5902479666242 mounting switches or frame z series. EAN code	WG.23.0013 WG.23.0050 WG.23.0119 WG.23.0122 ER control lightning, but also any dice status (on/off). Intended to b Catalogue number WG.23.0014 WG.23.0152 WG.23.0138 ed regulators. Internal dimension Catalogue number	WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. The be mounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time of the opening: 55x55 mm. colour	90 € Price
FS-02m	wired Sinum SBUS FZ-02 ROLLERS 2x voltage output / no fra FRAME series glass switcl switch has an LED backligt Communication wireless TECH WTP wired Sinum SBUS FG GLASS FRAMM A glass frame designed for Suitable for the F, FS and I Type FG-01 single	5902479665771 590247966655 5902479666259 SHUTTER CONTROLL me included hes can be used not only to nt that informs about the dev EAN code 5902479664682 5902479666921 5902479666242 mounting switches or frame z series. EAN code 5902479665283	WG.23.0013 WG.23.0050 WG.23.0119 WG.23.0122 ER control lightning, but also any dice status (on/off). Intended to be Catalogue number WG.23.0014 WG.23.0152 WG.23.0152 WG.23.0138 ed regulators. Internal dimension Catalogue number WG.23.0122	WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. The be mounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time	90 € Price 100 €
FS-02m	wired Sinum SBUS FZ-02 ROLLERS 2x voltage output / no fra FRAME series glass switcl communication wireless TECH WTP wired Sinum SBUS FG GLASS FRAMME A glass frame designed for Suitable for the F, FS and I Type FG-01 single FG-01 single	5902479665771 590247966655 5902479666259 SHUTTER CONTROLL me included res can be used not only to nt that informs about the dev EAN code 5902479664682 5902479666921 5902479666242 mounting switches or frame z series. EAN code 5902479665283 5902479665283 5902479665290	WG.23.0013 WG.23.0050 WG.23.0119 WG.23.0122 ER control lightning, but also any dice status (on/off). Intended to b Catalogue number WG.23.0014 WG.23.0152 WG.23.0152 WG.23.0138 ed regulators. Internal dimension Catalogue number WG.23.0025 WG.23.0029	WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. The be mounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time on of the opening: 55x55 mm. Colour WHITE BLACK - Extended delivery time In of the opening: 55x55 mm. BLACK - Extended delivery time	90 € Price 100 € Price 18 €
FS-02m	wired Sinum SBUS FZ-02 ROLLERS 2x voltage output / no fra FRAME series glass switcl communication wireless TECH WTP wired Sinum SBUS FG GLASS FRAMME A glass frame designed for Suitable for the F, FS and I Type FG-01 single FG-02 double	5902479665771 590247966655 5902479666259 SHUTTER CONTROLL me included res can be used not only to nt that informs about the dev EAN code 5902479664682 5902479666921 5902479666242 mounting switches or frame z series. EAN code 5902479665283 5902479665290 5902479665290 5902479665306	WG.23.0013 WG.23.0050 WG.23.0119 WG.23.0122 ER control lightning, but also any dice status (on/off). Intended to b Catalogue number WG.23.0014 WG.23.00151 WG.23.0152 WG.23.0138 ed regulators. Internal dimension Catalogue number WG.23.0025 WG.23.0026	WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. The be mounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time of the opening: 55x55 mm. colour WHITE BLACK - Extended delivery time MHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time	90 € Price 100 € Price
FS-02m	wired Sinum SBUS FZ-02 ROLLERS 2x voltage output / no fra FRAME series glass switcl communication wireless TECH WTP wired Sinum SBUS FG GLASS FRAMME A glass frame designed for Suitable for the F, FS and I Type FG-01 single FG-01 single	5902479665771 590247966655 5902479666259 SHUTTER CONTROLL me included res can be used not only to nt that informs about the dev EAN code 5902479664682 5902479666921 5902479666242 mounting switches or frame z series. EAN code 5902479665283 5902479665283 5902479665290	WG.23.0013 WG.23.0050 WG.23.0119 WG.23.0122 ER control lightning, but also any dice status (on/off). Intended to b Catalogue number WG.23.0014 WG.23.0152 WG.23.0152 WG.23.0138 ed regulators. Internal dimension Catalogue number WG.23.0025 WG.23.0029	WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. The be mounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time on of the opening: 55x55 mm. Colour WHITE BLACK - Extended delivery time In of the opening: 55x55 mm. BLACK - Extended delivery time	90 € Price 100 € Price 18 € 25 €
FS-02m	wired Sinum SBUS FZ-02 ROLLERS 2x voltage output / no fra FRAME series glass switch switch has an LED backlight Communication wireless TECH WTP wired Sinum SBUS FG GLASS FRAMMI A glass frame designed for Suitable for the F, FS and I Type FG-01 single FG-01 single FG-02 double	5902479665771 590247966655 590247966655 5902479666259 SHUTTER CONTROLL me included nes can be used not only to it that informs about the dev EAN code 5902479666788 5902479666242 mounting switches or frame 5902479665283 5902479665283 5902479665290 5902479665306 5902479665313	WG.23.0013 WG.23.0050 WG.23.0119 WG.23.0122 ER control lightning, but also any dice status (on/off). Intended to be control lightning, but also any dice status (on/off). Intended to be control wG.23.0014 WG.23.0014 WG.23.00152 WG.23.0152 WG.23.0138 ed regulators. Internal dimension Catalogue number WG.23.0025 WG.23.0026 WG.23.0030	WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. The be mounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time wHITE BLACK - Extended delivery time on of the opening: 55x55 mm. Colour WHITE BLACK - Extended delivery time BLACK - Extended delivery time	90 € Price 100 € Price 18 €
FS-02m	wired Sinum SBUS FFZ-02 ROLLERS 2x voltage output / no fra FRAME series glass switch switch has an LED backlight Communication wireless TECH WTP wired Sinum SBUS FG GLASS FRAMMI A glass frame designed for Suitable for the F, FS and I FG-01 single FG-01 single FG-02 double FG-02 double FG-03 triple	5902479665771 590247966655 590247966655 5902479666259 SHUTTER CONTROLL me included nes can be used not only to it that informs about the dev EAN code 590247966682 5902479666921 5902479666242 mounting switches or frame z series. EAN code 5902479665283 5902479665290 5902479665306 5902479665313 5902479665320	WG.23.0013 WG.23.0050 WG.23.0119 WG.23.0122 ER control lightning, but also any dice status (on/off). Intended to be the status (on/off). Intended to be t	WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. The be mounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time on of the opening: 55x55 mm. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time	90 € Price 100 € 18 € 25 € 33 €
FS-02m	wired Sinum SBUS FFZ-02 ROLLERS 2x voltage output / no fra FRAME series glass switcl communication wireless TECH WTP wired Sinum SBUS FG GLASS FRAMM A glass frame designed for Suitable for the F, FS and I FG-01 single FG-02 double FG-03 triple FG-03 triple	5902479665771 590247966655 5902479666259 SHUTTER CONTROLL me included nes can be used not only to it that informs about the dev EAN code 5902479664682 5902479666921 5902479666242 series. EAN code 5902479665283 5902479665283 5902479665306 5902479665313 5902479665320 5902479665337	WG.23.0013 WG.23.0050 WG.23.0119 WG.23.0122 ER control lightning, but also any dice status (on/off). Intended to be the status (on/off). Intended to be t	WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. The be mounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time	90 € Price 100 € Price 18 € 25 €

Photo			Product description		Net price
		Glass sw	itches – DOUBLE seri	es	
	1x voltage output Integrated wall switches w			ve your interior a unique look. The switch is equipped with atus (on/off).	
Name	Communication	EAN code	Catalogue number	Colour	Dring
WSR-01P - RIGHT	communication	5902479664866	WG.23.0015	WHITE	Price
WSR-01P - RIGHT		5902479665368	WG.23.0078	BLACK - Extended delivery time	
WSR-01L - LEFT	wireless TECH WTP	5902479665375	WG.23.0080	WHITE	
WSR-01L - LEFT		5902479665382	WG.23.0079	BLACK - Extended delivery time	
WSR-01mP - RIGHT		5902479666464	WG.23.0107	WHITE	181 €
WSR-01mP - RIGHT		5902479666198	WG.23.0123	BLACK - Extended delivery time	
WSR-01mL - LEFT		5902479666594	WG.23.0127	WHITE	
WSR-01mL - LEFT	_	5902479666754	WG.23.0154	BLACK - Extended delivery time	
RIGHT					LEFT
	2x voltage output Integrated wall switches w 2 touch sensor fields. The	switch has an LED backlight	ollers from the DOUBLE series giv that informs about the device st		2200 2200 210 100 Hate C1 V A 10
Name	Communication	EAN code	Catalogue number	Colour	Price
WSR-02P - RIGHT		5902479664873	WG.23.0016	WHITE	
WSR-02P - RIGHT	wireless TECH WTP	5902479665399	WG.23.0072	BLACK - Extended delivery time	
WSR-02L - LEFT		5902479665405	WG.23.0091	WHITE	
WSR-02L - LEFT		5902479665412	WG.23.0092	BLACK - Extended delivery time	186 €
WSR-02mP - RIGHT	_	5902479666457	WG.23.0108	WHITE	100 C
WSR-02mP - RIGHT	wired Sinum SBUS	5902479666181	WG.23.0124	BLACK - Extended delivery time	
WSR-02mL - LEFT		5902479666587	WG.23.0128	WHITE	
WSR-02mL - LEFT		5902479666747	WG.23.0151	BLACK - Extended delivery time	
	2x voltage output + 1x pr Integrated wall switches w	switch has an LED backlight	ollers from the DOUBLE series giv that informs about the device st	ve your interior a unique look. The switch is equipped with atus (on/off).	
Name	Communication	EAN code	Catalogue number	Colour	Price
WSR-03P - RIGHT		5902479664880	WG.23.0017	WHITE	
WSR-03P - RIGHT	wireless TECH WTP	5902479665429	WG.23.0093	BLACK - Extended delivery time	
WSR-03L - LEFT	_	5902479665436	WG.23.0094	WHITE	
WSR-03L - LEFT		5902479665443	WG.23.0095	BLACK - Extended delivery time	192 €
				WILLITE.	
WSR-03P - RIGHT	_	5902479666440	WG.23.0109	WHITE	
WSR-03P - RIGHT	wired Sinum SBUS	5902479666273	WG.23.0126	BLACK - Extended delivery time	
WSR-03P - RIGHT WSR-03L - LEFT	wired Sinum SBUS	5902479666273 5902479666570	WG.23.0126 WG.23.0129	BLACK - Extended delivery time WHITE	
WSR-03P - RIGHT	wired Sinum SBUS	5902479666273	WG.23.0126	BLACK - Extended delivery time	
WSR-03P - RIGHT WSR-03L - LEFT	WSS-22 SWIT 4x voltage output Integrated wall switches fi	5902479666273 5902479666570 5902479666730 CH 4 GANG	WG.23.0126 WG.23.0129 WG.23.0135	BLACK - Extended delivery time WHITE	
WSR-03P - RIGHT WSR-03L - LEFT WSR-03L - LEFT	WSS-22 SWIT 4x voltage output Integrated wall switches fi	5902479666273 5902479666570 5902479666730 CH 4 GANG rom the DOUBLE series give y	WG.23.0126 WG.23.0129 WG.23.0135	BLACK - Extended delivery time WHITE BLACK - Extended delivery time	Price
WSR-03P - RIGHT WSR-03L - LEFT WSR-03L - LEFT	WSS-22 switt 4x voltage output Integrated wall switches fi switch has an LED backlig	5902479666273 5902479666570 5902479666730 CH 4 GANG rom the DOUBLE series give y ht that informs about the dev	WG.23.0126 WG.23.0129 WG.23.0135 our interior a unique look. The sw rice status (on/off).	BLACK - Extended delivery time WHITE BLACK - Extended delivery time vitch is equipped with a total of 4 touch sensor fields. The	Price
WSR-03P - RIGHT WSR-03L - LEFT WSR-03L - LEFT	WSS-22 switt 4x voltage output Integrated wall switches fi switch has an LED backlig	5902479666273 5902479666570 5902479666730 CH 4 GANG com the DOUBLE series give y ht that informs about the dev EAN code	WG.23.0126 WG.23.0129 WG.23.0135 our interior a unique look. The switce status (on/off). Catalogue number	BLACK - Extended delivery time WHITE BLACK - Extended delivery time vitch is equipped with a total of 4 touch sensor fields. The Colour	
WSR-03P - RIGHT WSR-03L - LEFT WSR-03L - LEFT	WSS-22 switt 4x voltage output Integrated wall switches fi switch has an LED backlig Communication	5902479666273 5902479666273 5902479666570 5902479666730 CH 4 GANG cm the DOUBLE series give y ht that informs about the dev EAN code 5902479664897	WG.23.0126 WG.23.0129 WG.23.0135 our interior a unique look. The switce status (on/off). Catalogue number WG.23.0036	BLACK - Extended delivery time WHITE BLACK - Extended delivery time witch is equipped with a total of 4 touch sensor fields. The Colour WHITE	Price 157 €



			Product description		Net price
e e e e	Integrated wall switches fr	ogrammable virtual output		vitch is equipped with a total of 5 touch sensor fields. The	
Name	Communication	EAN code	Catalogue number	Colour	Price
WSS-32	wireless TECH WTP	5902479665542	WG.23.0038	WHITE	
W33-32	WIEless TECH WIF	5902479665559	WG.23.0039	BLACK - Extended delivery time	160 €
WSS-32m	wired Sinum SBUS	5902479666778 5902479666761	WG.23.0139 WG.23.0148	WHITE BLACK - Extended delivery time	
	Integrated wall switches fr	ogrammable virtual output		vitch is equipped with a total of 6 touch sensor fields. The	
Name	Communication	EAN code	Catalogue number	Colour	Price
		5902479664903	WG.23.0037	WHITE	
WSS-33	wireless TECH WTP	5902479665566	WG.23.0041	BLACK - Extended delivery time	164.6
		5902479666846	WG.23.0136	WHITE	164 €
WSS-33m	wired Sinum SBUS	5902479666853	WG.23.0133	BLACK - Extended delivery time	
RIGHT					LEFT
	2x voltage output + 2x vo Integrated wall switches fr touch panel is equipped wi	Itage output om the DOUBLE series give yo ith 2 sensor fields that allow y		vitch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for	
Name	Communication	EAN code	Catalogue number	Colour	Price
WSZ-22P - RIGHT		5902479664910	WG.23.0069	WHITE	
WSZ-22P - RIGHT	-	5902479665672	WG.23.0077	BLACK - Extended delivery time	
WSZ-22L - LEFT	wireless TECH WTP	5902479665689	WG.23.0070	WHITE	
WSZ-22L - LEFT		5902479665610	WG.23.0076	BLACK - Extended delivery time	164 €
WSZ-22mP - RIGHT		5902479666815	WG.23.0143	WHITE	104 t
WSZ-22mP - RIGHT	wired Sinum SBUS	5902479666839	WG.23.0144	BLACK - Extended delivery time	
	mice omain oboo	F000 47000000	WG.23.0142		
WSZ-22mL - LEFT	_	5902479666808	10.23.0142	WHITE	
WSZ-22mL - LEFT	_	5902479666822	WG.23.0142 WG.23.0134	WHITE BLACK - Extended delivery time	
	Integrated wall switches	5902479666822	WG.23.0134	BLACK - Extended delivery time	
WSZ-22mL - LEFT RIGHT	Integrated wall switcher equipped with 2 sensor	5902479666822	WG.23.0134	BLACK - Extended delivery time OLLER es give your interior a unique look. The touch panel is	LEFT Price
WSZ-22mL - LEFT RIGHT	Integrated wall switcher equipped with 2 sensor that informs about the c	5902479666822 MREGULATOR + ROI s with built-in temperature cc fields that allow you to contro levice status (on/off).	WG.23.0134	BLACK - Extended delivery time DLLER es give your interior a unique look. The touch panel is ilt-in voltage outputs. The switch has an LED backlight	
WSZ-22mL - LEFT RIGHT RIGHT RIGHT WZR-02P - RIGHT WZR-02P - RIGHT	Integrated wall switches equipped with 2 sensor that informs about the o Communication	5902479666822 MREGULATOR + ROI s with built-in temperature co fields that allow you to contro levice status (on/off). EAN code 5902479664927 5902479664347	WG.23.0134	BLACK - Extended delivery time DULLER es give your interior a unique look. The touch panel is ilt-in voltage outputs. The switch has an LED backlight Colour WHITE BLACK - Extended delivery time	
WSZ-22mL - LEFT RIGHT RIGHT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02L - LEFT	Integrated wall switcher equipped with 2 sensor that informs about the c	5902479666822 MREGULATOR + ROI s with built-in temperature co fields that allow you to contro levice status (on/off). EAN code 5902479664927 59024796643347 5902479664354	WG.23.0134 LLER SHUTTER CONTRO pontrollers from the DOUBLE serie of the roller shutters using the buil Catalogue number WG.23.0022 WG.23.0074 WG.23.0096	BLACK - Extended delivery time OLLER es give your interior a unique look. The touch panel is ilt-in voltage outputs. The switch has an LED backlight Colour WHITE BLACK - Extended delivery time WHITE	
WSZ-22mL - LEFT RIGHT RIGHT Name WZR-02P - RIGHT WZR-02P - RIGHT WZR-02L - LEFT WZR-02L - LEFT	Integrated wall switches equipped with 2 sensor that informs about the o Communication	5902479666822 M REGULATOR + ROI s with built-in temperature co fields that allow you to contro levice status (on/off). EAN code 5902479664927 5902479664324 5902479664354 5902479664361	WG.23.0134 LLER SHUTTER CONTRO Dutrollers from the DOUBLE serie I the roller shutters using the bui Catalogue number WG.23.0022 WG.23.0074 WG.23.0096 WG.23.0097	BLACK - Extended delivery time OLLER es give your interior a unique look. The touch panel is ilt-in voltage outputs. The switch has an LED backlight Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time	Price
WSZ-22mL - LEFT RIGHT Name WZR-02P - RIGHT WZR-02L - LEFT WZR-02L - LEFT WZR-02L - LEFT	Integrated wall switches equipped with 2 sensor that informs about the o Communication	5902479666822 MREGULATOR + ROI s with built-in temperature co fields that allow you to contro levice status (on/off). EAN code 5902479664927 5902479664354 5902479664354 5902479666938	WG.23.0134 LLER SHUTTER CONTRO Ontrollers from the DOUBLE serie of the roller shutters using the bui Catalogue number WG.23.0022 WG.23.0074 WG.23.0096 WG.23.0097 WG.23.0156	BLACK - Extended delivery time DULER es give your interior a unique look. The touch panel is ilit-in voltage outputs. The switch has an LED backlight Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE WHITE	
WSZ-22mL - LEFT RIGHT Name WZR-02P - RIGHT WZR-02P - RIGHT WZR-02L - LEFT WZR-02L - LEFT WZR-02P - RIGHT WZR-02P - RIGHT	Integrated wall switches equipped with 2 sensor that informs about the o Communication	5902479666822 MREGULATOR + ROI s with built-in temperature cc fields that allow you to contro levice status (on/off). EAN code 5902479664927 5902479664354 5902479664354 5902479666938 5902479666174	WG.23.0134 LLER SHUTTER CONTRO Ontrollers from the DOUBLE serie of the roller shutters using the bui Catalogue number WG.23.0022 WG.23.0074 WG.23.0096 WG.23.0097 WG.23.0156 WG.23.0155	BLACK - Extended delivery time DULER es give your interior a unique look. The touch panel is ilt-in voltage outputs. The switch has an LED backlight Colour Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time BLACK - Extended delivery time	Price
WSZ-22mL - LEFT RIGHT VZR-02P - RIGHT WZR-02P - RIGHT WZR-02L - LEFT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02P - RIGHT	Integrated wall switche equipped with 2 sensor that informs about the o Communication wireless TECH WTP	5902479666822 MREGULATOR + ROI s with built-in temperature cc fields that allow you to contro levice status (on/off). EAN code 5902479664927 5902479664347 5902479664354 5902479666938 5902479666174 5902479666716	WG.23.0134 LLER SHUTTER CONTRO Ontrollers from the DOUBLE serie of the roller shutters using the bui Catalogue number WG.23.0022 WG.23.0074 WG.23.0096 WG.23.0156 WG.23.0155 WG.23.0158	BLACK - Extended delivery time DULLER es give your interior a unique look. The touch panel is ilt-in voltage outputs. The switch has an LED backlight Colour Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE	Price
WSZ-22mL - LEFT RIGHT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02L - LEFT WZR-02L - LEFT WZR-02P - RIGHT WZR-02P - RIGHT	Integrated wall switche equipped with 2 sensor that informs about the o Communication wireless TECH WTP	5902479666822 MREGULATOR + ROI s with built-in temperature co fields that allow you to contro levice status (on/off). EAN code 5902479664927 5902479664347 5902479664354 5902479666938 5902479666174 5902479666716 5902479666723	WG.23.0134 LLER SHUTTER CONTRO Controllers from the DOUBLE serie of the roller shutters using the buil Catalogue number WG.23.0022 WG.23.0074 WG.23.0096 WG.23.0156 WG.23.0155 WG.23.0158 WG.23.0157	BLACK - Extended delivery time DULER es give your interior a unique look. The touch panel is ilt-in voltage outputs. The switch has an LED backlight Colour Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time BLACK - Extended delivery time	Price
WSZ-22mL - LEFT RIGHT VZR-02P - RIGHT WZR-02P - RIGHT WZR-02L - LEFT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02P - RIGHT	Integrated wall switche equipped with 2 sensor that informs about the o Communication wireless TECH WTP	5902479666822	WG.23.0134 LLER SHUTTER CONTRO Ontrollers from the DOUBLE serie of the roller shutters using the bui Catalogue number WG.23.0022 WG.23.0074 WG.23.0096 WG.23.0156 WG.23.0155 WG.23.0158	BLACK - Extended delivery time DULLER es give your interior a unique look. The touch panel is ilt-in voltage outputs. The switch has an LED backlight Colour Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE	Price
WSZ-22mL - LEFT RIGHT Name WZR-02P - RIGHT WZR-02L - LEFT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02L - LEFT	Integrated wall switches equipped with 2 sensor that informs about the of Communication wireless TECH WTP wired Sinum SBUS	5902479666822	WG.23.0134 LLER SHUTTER CONTRO Controllers from the DOUBLE serie of the roller shutters using the buil Catalogue number WG.23.0022 WG.23.0074 WG.23.0096 WG.23.0156 WG.23.0155 WG.23.0158 WG.23.0157	BLACK - Extended delivery time DULLER es give your interior a unique look. The touch panel is ilt-in voltage outputs. The switch has an LED backlight Colour Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE	Price
WSZ-22ML - LEFT RGHT FFF WZR-02P - RIGHT WZR-02P - RIGHT WZR-02L - LEFT WZR-02L - LEFT WZR-02L - LEFT WZR-02L - LEFT WZR-02L - LEFT WZR-02L - LEFT WZR-02L - LEFT	Integrated wall switche equipped with 2 sensor that informs about the of wireless TECH WTP wired Sinum SBUS PS-02 DIN RAIL 2x voltage signal input +	5902479666822	WG.23.0134 LLER SHUTTER CONTRO ontrollers from the DOUBLE serie of the roller shutters using the built Catalogue number WG.23.0022 WG.23.0074 WG.23.0096 WG.23.0097 WG.23.0155 WG.23.0155 WG.23.0155 WG.23.0157 MODULES - DIN RAIL	BLACK - Extended delivery time DULLER es give your interior a unique look. The touch panel is ilt-in voltage outputs. The switch has an LED backlight Colour WHITE BLACK - Extended delivery time WHITE	Price 222 €

Photo			Product description		Net price
	PSZ-02 DIN RA 2x voltage signal input + 3	IL RELAY FOR ROLLI 2x voltage-free output	ER SHUTTERS		
Name	Communication	EAN code	Catalogue number	Colour	Price
PZ-02	wireless TECH WTP	5902479664804	WG.23.0019	BLUE	69€
PZ-02m	wired Sinum SBUS PS-08 DIN RAIL 8x voltage-free output Communication	5902479667119 RELAY EAN code	WG.23.0164 Catalogue number	Colour	Price
PS-08	wireless TECH WTP	5902479664798	WG.23.0004	BLUE	102 €
	PS-06m DIN R/ 6x voltage-free output				
Name	Communication	EAN code	Catalogue number	Colour	Price
PS-06m	wired Sinum SBUS	5902479666006	WG.23.0047	BLUE	103 €
	PS-08 230 DI 8x 230V voltage output				
Name	Communication	EAN code	Catalogue number	Colour	Price
PS-08 230	wireless TECH WTP	5902479664934	WG.23.0020	BLUE	105 €
PS-08m 230	wired Sinum SBUS	5902479666013	WG.23.0046		111€
	PPS-01 230 1x voltage signal input +	FLUSH-MOUNTED R	DULES - FLUSH-MOUN Elay	וובט	
Name	Communication	FAN codo	Catalogue number	Colour	
PPS-01 230	Communication wireless TECH WTP	EAN code	Catalogue number	Colour	Price
PPS-01 230	wireless TECH WTP PPS-01 FLUSH 1x voltage-free output	5902479666167	WG.23.0106	WHITE	65 €
Name	wireless TECH WTP PPS-01 FLUSH 1x voltage-free output Communication	5902479666167 -MOUNTED RELAY EAN code	WG.23.0106 Catalogue number	WHITE Colour	65 €
	wireless TECH WTP PPS-01 FLUSH 1x voltage-free output	5902479666167 -MOUNTED RELAY EAN code 5902479666167 -MOUNTED RELAY	WG.23.0106	WHITE	65 €
Name	wireless TECH WTP PPS-01 FLUSH 1x voltage-free output Communication wireless TECH WTP PPS-02 FLUSH	5902479666167 -MOUNTED RELAY EAN code 5902479666167 -MOUNTED RELAY	WG.23.0106 Catalogue number	WHITE Colour	65 € Price 61 € Price
Name PPS-01	wireless TECH WTP PPS-01 FLUSH 1x voltage-free output Communication wireless TECH WTP PPS-02 FLUSH 2x voltage signal input + 3 Communication wireless TECH WTP	5902479666167 -MOUNTED RELAY EAN code 5902479666167 -MOUNTED RELAY 2x voltage-free output EAN code 5902479664958 -MOUNTED RELAY F	WG.23.0106 Catalogue number WG.23.0120	WHITE Colour WHITE Colour WHITE WHITE	65 € Price 61 €
Name PPS-01 Name Name	wireless TECH WTP PPS-01 FLUSH 1x voltage-free output Communication wireless TECH WTP PPS-02 FLUSH 2x voltage signal input + 32 Communication wireless TECH WTP PPS-02 FLUSH PPZ-02 FLUSH	5902479666167 -MOUNTED RELAY EAN code 5902479666167 -MOUNTED RELAY 2x voltage-free output EAN code 5902479664958 -MOUNTED RELAY F	WG.23.0106 Catalogue number WG.23.0120 Catalogue number WG.23.0001	WHITE Colour WHITE Colour WHITE WHITE	65 € Price 61 € Price



Photo			Product description		Net price
		ADD	ITIONAL MODULES		
an and		S-10m 230 WIRELES up to 50 thermostatic actua	SS CONTROLLER FOR THE	RMOSTATIC ACTUATORS Imp, voltage-free contact (e.g. for controlling the	
Name	Communication	EAN code	Catalogue number	Colour	Price
PS-10 230	wireless TECH WTP	5902479665801	WG.23.0044	WHITE	181 €
PS-10m 230	wired Sinum SBUS	5902479665702	WG.23.0054	White	101 €
	Control of the three- or	four-way mixing valve, valv		JATORS rol, return water temperature protection, weather-based rith RS or traditional communication,	
Name	Communication	EAN code	Catalogue number	Colour	Price
EHI-2	wired RS TECH	5902479665641	WG.23.0035	WHITE	256 €
	Control of the three- or	ISION MODULE FOR E four-way mixing valve, pos or, return water temperature	sibility of connecting room	regulator with traditional communication, valve sensor,	
Name	Communication	EAN code	Catalogue number	Colour	Price
EHI-1m	wired RS TECH	5902479666327	WG.23.0167	WHITE	111€
9	BT-01 BUTTON The device can be used to Communication	trigger actions and scenes d		mes you press or hold the button.	2.
Name BT-01	wireless TECH WTP	5902479664811	Catalogue number WG.23.0007	WHITE	Price 67€
	7x programmable button	s EAN code	Catalogue number	Colour	
RC-07	wireless TECH WTP	5902479667225	WG.23.0194	WHITE	Price 85 €
	WP-04 MULTIF 4x programmable virtual	UNCTION BUTTON 4 (output	GANG		
Name	Communication	EAN code	Catalogue number	Colour	Price
WP-04	wireless TECH WTP	5902479665122	WG.23.0045	WHITE	70 €
• • • • • • • • • • • • • • • • • • •	The CP-04 control pane room in which it is insta	el is a multi-tasking device. Th alled (has the possibility of co panel therefore functions as a	nanks to it, we can display the nnecting an air temperature s	MPERATURE REGULATOR e current weather forecast, check the temperature in the sensor and a floor temperature sensor) and set shortcuts ire controller and scene switch. All this is controlled from	
Name	Communication	EAN code	Catalogue number	Colour	Price
	wired Sinum SBUS	WG.23.0063	5902479666037	BLACK	245 €
All and a		BORNE PARTICULATE e concentration of particulate	MATTER matter contained in the air in	the room where it is located.	
	Communication	EAN code	Catalogue number	Colour	Price
Name	wireless TECH WTP	5902479664996	WG.23.0042	WHITE	320 €
CJP-01	WITEIESS TECH WTP				
	KW-03m inpu	T CARD sensor input, 1x potential-fr	ee contact		
CJP-01	KW-03m inpu		ee contact Catalogue number	Colour	Price

Photo			Product description		Net price
	KW-04 INPUT/C 2x voltage input, 2x volta				
Name	Communication	EAN code	Catalogue number	Colour	Price
KW-04	wireless TECH WTP	5902479667133	WG.23.0184	BLUE	56 €
	KW-10m INPU INPUTS: 2x voltage free, OUTPUTS: 1x NTC sensor	2x 0-10V, 2x PWM, 1x 4-20	mA		
Name	Communication	EAN code	Catalogue number	Colour	Price
KW-10m	wired Sinum SBUS	5902479666686	WG.23.0162	BLUE	123 €
	KW-11m INPU 4x 2-state input, 4x NTC :	T CARD sensor input, 1x 1 wire inpu	t, 2x 0-10V output		
Name	Communication	EAN code	Catalogue number	Colour	Price
KW-11m	wired Sinum SBUS	5902479665856	WG.23.0048	BLUE	89€
	KW-12m INPU 4x 2-state input, 8x NTC :				
Name	Communication	EAN code	Catalogue number	Colour	Price
KW-12m	wired Sinum SBUS	5902479665849	WG.23.0053	BLUE	90 €
	KW-12-2m IN 12x 2-state input	IPUT CARD			
Name	Communication	EAN code	Catalogue number	Colour	Price
KW-12m	wired Sinum SBUS	5902479660783	WG.23.0212	BLUE	95 €
	MB-04 GATE MC 2x 2-state input, 2x 2-sta	ite output			
Name	Communication	EAN code	Catalogue number	Colour	Price
MB-04	wireless TECH WTP	5902479667140	WG.23.0175	BLUE	69€
MB-04m	wired Sinum SBUS	5902479666280	WG.23.0111	BLUE	69€
		r is a device that combines	many functions. It is a air tem ic pressure and air humidity.	perature sensor which offers the possibility to measure	
Name	Communication	EAN code	Catalogue number	Colour	Price
MC-01	wireless TECH WTP	5902479665658	WG.23.0043	WHITE	94 €
	MC-02 MULTI The MC-02 multi-sensor additional data such as:	r is a device that combines m	any functions. It is a room regu n, atmospheric pressure, air ter	ilator which offers the possibility to measure and display mperature and air humidity.	
Name	Communication	EAN code	Catalogue number	Colour	Price
MC-02	wireless TECH WTP	5902479665153	WG.23.0065	WHITE	255 €
MC-02m	wired Sinum SBUS	5902479664989	WG.23.0125	BIELA	206 €



Photo			Product description		Net price
\bigcirc	CR-01 MOTION		tensity sensor, temperature s	ensor and air humidity sensor.	
Name	Communication	EAN code	Catalogue number	Colour	Price
CR-01	wireless TECH WTP	5902479664972	WG.23.0023	WHITE	127 €
	CD-01 SMOKE The device detects smol		located. It is also equipped wi	th an alarm signal.	
Name	Communication	EAN code	Catalogue number	Colour	Price
CD-01	wireless TECH WTP	5902479665160	WG.23.0034	WHITE	111 €
	CO-2 CO2 SEN The device measure CO ₂	SOR in the room in which it is loo	cated.		
Name	Communication	EAN code	Catalogue number	Colour	Price
C02	wireless TECH WTP	5902479665795	WG.23.0110	WHITE	233 €
	to the main module. You	st flooding with a CZ-01 floo can put it directly on the su	Irface or use a probe to detec		
Name	Communication	EAN code	Catalogue number	Colour	Price
CZ-01	wireless TECH WTP	5902479665177	WG.23.0033	WHITE	65 €
CZS-01		5902479665832	WG.23.0061		13 €
UT AN		ender, you will extend the ra	ange of the wireless system. mounted in a 60mm box and	The extender connects to the SINUM system devices and powered by 230V.	
Name	Communication	EAN code	Catalogue number	Colour	Price
EX-G1	wireless TECH WTP	5902479666426	WG.23.0100	WHITE	110 €
	With the EX-S1 Extend devices and sends data With the EX-S1m Extend	a to the EH-01 control cer er, you can extend the range	nter via WiFi or LAN networ	red system. The Extender connects to SINUM system k. It is mounted ona a DIN rail powered by 230V AC. tender connects to SINUM system devices and sends data and powered by 24V DC.	
Name	Communication	EAN code	Catalogue number	Colour	Price
EX-S1	wireless TECH WTP	WG.23.0104	5902479665863	BLUE	144 €
EX-S1m	wired Sinum SBUS	WG.23.0105	5902479665818	DLUE	132 €
				evices. The Extender connects to SINUM system devices	
Name	Communication	EAN code	Catalogue number	Colour	Price
EX-S1	wired MODBUS	WG.23.0132	5902479666129	BLUE	145 €
RGB-P4 / RGB-P4m		o power and control the ope sity of light, as well as the te		nks to the use of the module, you will be able to manage 9 on the selected scene, automation or manually.	RGB-SS / RGB-SSm
Name	Communication	EAN code	Catalogue number	Colour	Price
RGB-P4	wireless TECH WTP	5902479661810	WG.23.0172	WHITE	
RGB-P4m	wired Sinum SBUS	5902479665719	WG.23.0082		101 €
RGB-S5	wireless TECH WTP	5902479662251	WG.23.0169	BLUE	
RGB-S5m	wired Sinum SBUS	5902479665757	WG.23.0085		

Photo			Product description		Net price
DIM-P4 / DIM-P4m	of the total lighting pow	S5, DIM-S5m LED light dimme ver. They support 4 LED strip	os (DIM-P4, DIM-P4m) or 5 st	he light intensity of LED strips in the range from 0 to 100% trips (DIM-S5, DIM-S5m) simultaneously. Possible choice m). All this depending on the selected scene, automation	DM-S5 / DM-S5m
Name	Communication	EAN code	Catalogue number	Colour	Price
DIM-P4	wireless TECH WTP	5902479666105	WG.23.0171		
DIM-P4m	wired Sinum SBUS	5902479665740	WG.23.0083	- WHITE	101 0
DIM-S5	wireless TECH WTP	5902479666112	WG.23.0168	BLUE	101 €
DIM-S5m	wired Sinum SBUS	5902479665870	WG.23.0084	BLUE	
No training and the second sec	FF-230 - remote turning		USH-MOUNTED IN A I ly connected to the socket. W rement.		
Name	Communication	EAN code	Catalogue number	Colour	Price
FF-230	wireless TECH WTP	5902479666969	WG.23.0159	WHITE	102 €
		5902479667416	WG.23.0240	BLACK - Extended delivery time	102 2
FF-230s		5902479667829	WG.23.0238	WHITE	26€
		5902479667836	WG.23.0239	BLACK - Extended delivery time	
Nor where	SG-230 - remote turning SG-230s - non-controllat	ble socket, no current measu	ly connected to the socket. W rement.	1	
Name	Communication	EAN code	Catalogue number	Colour	Price
SG-230	wireless TECH WTP	5902479667126	WG.23.0166	WHITE	102 €
		5902479667522 5902479667744	WG.23.0236 WG.23.0237	BLACK - Extended delivery time WHITE	
SG-230s		5902479667751	WG.23.0237	BLACK - Extended delivery time	35 €
	ZS-24/100 , power supply for DIN ra ZS-24/100 - 92W, 24VDC			IVDC, 1.5A, 85÷264VAC	
Name	Communication	EAN code	Catalogue number	Colour	Price
ZS-24/100		5902479666082	WG.23.0067	BLACK	52 €
ZS-24/30		5902479666075	WG.23.0068	BLACK	31 €
	LE-3x230mb	3 PHASE TWO-WAY	ENERGY METER WIT	H MID CERTYFICATE	
Name	Communication	EAN code	Catalogue number	Colour	Price
LE-3x230mb	wired MODBUS	5902479667492	T_000.00.000.00100	BLUE	196 €
	electronic water shut off va ZO-15 - 1/2" DN15, ZO-20 - Power supply 230V AC		TRONIC WATER SHUT	T OFF VALVE	
Name	Communication	EAN code	Catalogue number	Colour	Price
Z0-15		5902479667560	T_000.00.000.00108	BLUE	143 €
Z0-20		5902479667577	T_000.00.000.00109	BLUE	149 €



Photo			Product description		Net price
	PK-230 / PK relay on DIN rail 230V AC, relay on DIN rail 24V DC, c		RAIL		
Name	Communication	EAN code	Catalogue number	Colour	Price
PK-230		5902479667041	WG.23.0186	GRAY	26.6
РК-24		5902479667058	WG.23.0211	GRAY	36 €
		MMUNICATION WIRE power cord 2x0,75mm ² CU + m roll or a 300m spool.			
Name	Communication	EAN code	Catalogue number	Colour	Price
KB-SBUS 100m		5902479667546	T_000.00.000.00111	BLUE	147 €
KB- SBUS 300m		5902479667553	T_000.00.000.00112	BLUE	441 €
	FT-01i glass frame for App			or Samsung tablets	
Name	Communication	EAN code	Catalogue number	Colour	Price
FT-01i		5902479667423	WG.23.0207	WHITE	
FT-01i		5902479667430	WG.23.0208	BLACK - Extended delivery time	99€
FT-01a		5902479667447	WG.23.0209	WHITE	<i>,,,</i> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
FT-01a		5902479667454	WG.23.0210	BLACK - Extended delivery time	
- [:53] -	Equipment: bulit-in roor	m temperature sensor, humid	vired communication, power 2- lity sensor, LCD display, no back ection color will be chosen rand	klit, mechanical buttons	
Name	Communication	EAN code	Catalogue number	Colour	Price
R-S1	wired Sinum SBUS	5902479665931 5902479665962	WG.23.0055 WG.23.0058	WHITE BLACK - Extended delivery time	68 €
		ED WIRED ROOM RE	GULATOR FOR SINUM		
	Equipment: bulit-in roor	rature control, Sinum SBUS w n temperature sensor, humid	vired communication, power 2- lity sensor, LCD display, no back ection color will be chosen rand	4V DC klit, touchable buttons	
Name	Equipment: bulit-in roor * White or black casing	rature control, Sinum SBUS w n temperature sensor, humid . In case of lack of colour sele	vired communication, power 2- lity sensor, LCD display, no back ection color will be chosen rand	4V DC klit, touchable buttons domly.	Price
Name	Equipment: bulit-in roor * White or black casing Communication	rature control, Sinum SBUS w n temperature sensor, humid	vired communication, power 24 lity sensor, LCD display, no bacl	4V DC klit, touchable buttons	Price
Name R-S2	Equipment: bulit-in roor * White or black casing	rature control, Sinum SBUS w n temperature sensor, humid . In case of lack of colour sele EAN code	vired communication, power 24 ity sensor, LCD display, no back ection color will be chosen rand Catalogue number	4V DC Klit, touchable buttons domly. Colour	Price 79 €
	Equipment: bulit-in roor * White or black casing Communication wired Sinum SBUS R-S3 DEDICAT Functions: room temp communication, power Equipment: bulit-in roor * White or black casing	rature control, Sinum SBUS w n temperature sensor, humid . In case of lack of colour sele 5902479665948 5902479665979 TED WIRED ROOM REP erature control, additional of 24V DC n temperature sensor, humid . In case of lack of colour sele	vired communication, power 24 ity sensor, LCD display, no back ection color will be chosen rand Catalogue number WG.23.0056 WG.23.0059 GULATOR FOR SINUM control based on floor temp ity sensor, LCD display with ter ection color will be chosen rand	4V DC klit, touchable buttons domly. Colour WHITE BLACK - Extended delivery time verature (if floor sensor is used), Sinum SBUS wired mporary backlit domly	
	Equipment: bulit-in roor * White or black casing Communication wired Sinum SBUS R-S3 DEDICAT Functions: room temp communication, power Equipment: bulit-in roor	rature control, Sinum SBUS w n temperature sensor, humid . In case of lack of colour sele 5902479665948 5902479665979 TED WIRED ROOM REF Perature control, additional 24V DC n temperature sensor, humid . In case of lack of colour sele EAN code	vired communication, power 24 ity sensor, LCD display, no back ection color will be chosen rand Catalogue number WG.23.0056 WG.23.0059 GULATOR FOR SINUM control based on floor temp ity sensor, LCD display with ter ection color will be chosen rand Catalogue number	4V DC klit, touchable buttons domly. Colour WHITE BLACK - Extended delivery time werature (if floor sensor is used), Sinum SBUS wired mporary backlit domly Colour	
R-S2	Equipment: bulit-in roor * White or black casing Communication wired Sinum SBUS R-S3 DEDICAT Functions: room temp communication, power Equipment: bulit-in roor * White or black casing	rature control, Sinum SBUS w n temperature sensor, humid . In case of lack of colour sele 5902479665948 5902479665979 TED WIRED ROOM REF erature control, additional 24V DC n temperature sensor, humid . In case of lack of colour sele 5902479665955	vired communication, power 24 ity sensor, LCD display, no back ection color will be chosen rand Catalogue number WG.23.0056 WG.23.0059 GULATOR FOR SINUM control based on floor temp ity sensor, LCD display with ter ection color will be chosen rand Catalogue number WG.23.0057	4V DC klit, touchable buttons domly. Colour WHITE BLACK - Extended delivery time berature (if floor sensor is used), Sinum SBUS wired mporary backlit domly Colour WHITE	79 €
R-S2	Equipment: bulit-in roor * White or black casing Communication wired Sinum SBUS R-S3 DEDICAT Functions: room temp communication, power Equipment: bulit-in roor * White or black casing Communication wired Sinum SBUS FR-S2 DEDIC Functions: room temp communication, power	rature control, Sinum SBUS w n temperature sensor, humid . In case of lack of colour sele 5902479665948 5902479665979 TED WIRED ROOM REC erature control, additional of 24V DC n temperature sensor, humid . In case of lack of colour sele 5902479665955 5902479665955 5902479665986 ATED WIRED ROOM R erature control, additional of 24V DC	vired communication, power 24 lity sensor, LCD display, no back eaction color will be chosen rand Catalogue number WG.23.0056 WG.23.0059 GULATOR FOR SINUM control based on floor temp lity sensor, LCD display with ter eaction color will be chosen rand Catalogue number WG.23.0057 WG.23.0060 REGULATOR FOR SINU control based on floor temp	4V DC klit, touchable buttons domly. Colour WHITE BLACK - Extended delivery time werature (if floor sensor is used), Sinum SBUS wired mporary backlit domly Colour	79 € Price
R-S2	Equipment: bulit-in roor * White or black casing Communication wired Sinum SBUS R-S3 DEDICAT Functions: room temp communication, power Equipment: bulit-in roor * White or black casing Communication wired Sinum SBUS FR-S2 DEDIC Functions: room temp communication, power Equipment: bulit-in roor Equipment: bulit-in roor	rature control, Sinum SBUS w n temperature sensor, humid . In case of lack of colour sele 5902479665948 5902479665979 TED WIRED ROOM REP Perature control, additional of 24V DC n temperature sensor, humid . In case of lack of colour sele 5902479665955 5902479665986 ATED WIRED ROOM R Perature control, additional of 24V DC n temperature sensor, humid	vired communication, power 24 lity sensor, LCD display, no back eaction color will be chosen rand Catalogue number WG.23.0056 WG.23.0059 GULATOR FOR SINUM control based on floor temp lity sensor, LCD display with ter eaction color will be chosen rand Catalogue number WG.23.0057 WG.23.0060 REGULATOR FOR SINU control based on floor temp	4V DC klit, touchable buttons domly. Colour WHITE BLACK - Extended delivery time werature (if floor sensor is used), Sinum SBUS wired mporary backlit domly Colour WHITE BLACK - Extended delivery time M (FLUSH-MOUNTED) werature (if floor sensor is used), Sinum SBUS wired klit, flush mountable in electrical box (ø60mm)	79 € Price
R-S2 Frank R-S3	Equipment: bulit-in roor * White or black casing Communication wired Sinum SBUS R-S3 DEDICAT Functions: room temp communication, power Equipment: bulit-in roor * White or black casing Communication wired Sinum SBUS FR-S2 DEDIC Functions: room temp communication, power Equipment: bulit-in roor * White or black casing	rature control, Sinum SBUS w n temperature sensor, humid . In case of lack of colour sele 5902479665948 5902479665979 TED WIRED ROOM REF erature control, additional of 24V DC n temperature sensor, humid . In case of lack of colour sele 5902479665955 5902479665986 ATED WIRED ROOM R erature control, additional of 24V DC n temperature sensor, humid un case of lack of colour sele	vired communication, power 24 ity sensor, LCD display, no back ection color will be chosen rand Catalogue number WG.23.0056 WG.23.0059 GULATOR FOR SINUM control based on floor temp ity sensor, LCD display with ter ection color will be chosen rand Catalogue number WG.23.0060 REGULATOR FOR SINU control based on floor temp ity sensor, LCD display, no back ection color will be chosen rand	44 DC klit, touchable buttons klit, touchable buttons domly. Colour WHITE BLACK - Extended delivery time mporary backlit domly. Colour WHITE BLACK - Extended delivery time Merature (if floor sensor is used), Sinum SBUS wired WHITE BLACK - Extended delivery time MHITE BLACK - Extended delivery time MHITE BLACK - Extended delivery time Merature (if floor sensor is used), Sinum SBUS wired klit, flush mountable in electrical box (ø60mm) domly.	79 € Price 86 €
R-S2	Equipment: bulit-in roor * White or black casing Communication wired Sinum SBUS R-S3 DEDICAT Functions: room temp communication, power Equipment: bulit-in roor * White or black casing Communication wired Sinum SBUS FR-S2 DEDIC Functions: room temp communication, power Equipment: bulit-in roor Equipment: bulit-in roor	rature control, Sinum SBUS w n temperature sensor, humid . In case of lack of colour sele 5902479665948 5902479665979 TED WIRED ROOM REP Perature control, additional of 24V DC n temperature sensor, humid . In case of lack of colour sele 5902479665955 5902479665986 ATED WIRED ROOM R Perature control, additional of 24V DC n temperature sensor, humid	vired communication, power 24 lity sensor, LCD display, no back eaction color will be chosen rand Catalogue number WG.23.0056 WG.23.0059 GULATOR FOR SINUM control based on floor temp lity sensor, LCD display with ter eaction color will be chosen rand Catalogue number WG.23.0057 WG.23.0060 REGULATOR FOR SINU control based on floor temp lity sensor, LCD display, no back	4V DC klit, touchable buttons domly. Colour WHITE BLACK - Extended delivery time werature (if floor sensor is used), Sinum SBUS wired mporary backlit domly Colour WHITE BLACK - Extended delivery time M (FLUSH-MOUNTED) werature (if floor sensor is used), Sinum SBUS wired klit, flush mountable in electrical box (ø60mm)	79 € Price

Photo			Product description		Net pric
L HEM Hann	C-S1p MINI WII Functions: room temperatu		ATURE SENSOR (FLUSH-N	IOUNTED)	
Name	Communication	EAN code	Catalogue number	Colour	Price
C-S1p	2 wire	5902479666976	WG.23.0174	WHITE	22 (
		5902479666952 ROOM TEMPERATUR	WG.23.0176 RE AND HUMIDITY SENSO ent	BLACK - Extended delivery time	
Name	Communication	EAN code	Catalogue number	Colour	Price
C-S1m	wired Sinum SBUS	5902479666419	WG.23.0173	WHITE BLACK - Extended delivery time	47 4
Name	Functions: room temperate	ure measurement EAN code	Catalogue number	Colour	Price
FC-S1p	2 wire	5902479667065	WG.23.0192	WHITE	23
		5902479667072	WG.23.0193	BLACK - Extended delivery time WHITE	
FC-S1m	wired Sinum SBUS	5902479667089 5902479667096	WG.23.0182 WG.23.0183	BLACK - Extended delivery time	47 -
FC-S1m		5902479667096 D ROOM TEMPERATO ure measurement EAN code	WG.23.0183 JRE SENSOR Catalogue number	BLACK - Extended delivery time Colour	
	EU-C-7p wirel	5902479667096 D ROOM TEMPERATI	WG.23.0183	BLACK - Extended delivery time	Price
Name	EU-C-7p wire	5902479667096 D ROOM TEMPERATI ure measurement EAN code 5902479661032 5902479662060 ESS ROOM TEMPER ure measurement EAN code	WG.23.0183 JRE SENSOR Catalogue number WG.03.0072 WG.03.0075 ATURE SENSOR Catalogue number	BLACK - Extended delivery time Colour WHITE BLACK - Extended delivery time Colour	Price 23 4
Name EU-C-7p	EU-C-7p wire Functions: room temperature Communication 2 wire EU-C-8r wireL Functions: room temperature	5902479667096 D ROOM TEMPERATU are measurement EAN code 5902479661032 5902479662060 ESS ROOM TEMPER are measurement	WG.23.0183 JRE SENSOR Catalogue number WG.03.0072 WG.03.0075 ATURE SENSOR	BLACK - Extended delivery time Colour WHITE BLACK - Extended delivery time	Price 23 t
Name EU-C-7p Tree EU-C-7p EU-C-8r EU-C-8r	EU-C-7p wirel Functions: room temperature Communication 2 wire EU-C-8r wirel Functions: room temperature Communication wireless TECH WTP EU-C-8f wirel Functions: floor temperature	5902479667096 D ROOM TEMPERATI Jre measurement EAN code 5902479661032 5902479662060 ESS ROOM TEMPER Jre measurement EAN code 5902479661056 5902479661056 5902479662084 ESS FLOOR TEMPEF re measurement	WG.23.0183 JRE SENSOR Catalogue number WG.03.0072 WG.03.0075 ATURE SENSOR Catalogue number WG.03.0079 WG.03.0082	BLACK - Extended delivery time Colour WHITE BLACK - Extended delivery time Colour WHITE BLACK - Extended delivery time BLACK - Extended delivery time	47 4 Price 23 4 Price 39 4
۲ Name EU-C-7p ۲ EU-C-8r ۲	EU-C-7p wire Functions: room temperature Communication 2 wire EU-C-8r wire Functions: room temperature Ommunication wire EU-C-8r wire Functions: room temperature Ommunication wireless TECH WTP EU-C-8f wire Functions: floor temperature Communication	5902479667096 D ROOM TEMPERATI are measurement EAN code 5902479661032 5902479662060 ESS ROOM TEMPER are measurement EAN code 5902479661056 5902479662084 ESS FLOOR TEMPEF re measurement EAN code ESS FLOOR TEMPEF	WG.23.0183 JRE SENSOR Catalogue number WG.03.0072 WG.03.0075 ATURE SENSOR Catalogue number WG.03.0079 WG.03.0082	BLACK - Extended delivery time Colour WHITE BLACK - Extended delivery time Colour WHITE BLACK - Extended delivery time Colour Colour Colour	Price 23 Price 39
Name EU-C-7p Name EU- C-8r	EU-C-7p wire Functions: room temperature Communication 2 wire EU-C-8r wire Functions: room temperature Communication wireless TECH WTP EU-C-8f wire Functions: floor temperature Communication wireless TECH WTP Communication wireless TECH WTP	5902479667096 D ROOM TEMPERATI are measurement EAN code 5902479661032 5902479662060 ESS ROOM TEMPER are measurement EAN code 5902479661056 5902479662084 ESS FLOOR TEMPEF re measurement EAN code 5902479661643 ELESS OUTDOOR TE	WG.23.0183 JRE SENSOR Catalogue number WG.03.0072 WG.03.0075 ATURE SENSOR Catalogue number WG.03.0079 WG.03.0082	BLACK - Extended delivery time Colour WHITE BLACK - Extended delivery time Colour WHITE BLACK - Extended delivery time BLACK - Extended delivery time	Price 23 t Price 39 t
Name EU-C-7p TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	EU-C-7p wireer Functions: room temperature Communication 2 wire EU-C-8t wireel Functions: room temperature Communication wireless TECH WTP EU-C-8f wireel Functions: floor temperature Communication wireless TECH WTP EU-C-8f wireel Functions: floor temperature Communication wireless TECH WTP EU-C-8zr wireel EU-C-8zr wireel	5902479667096 D ROOM TEMPERATI are measurement EAN code 5902479661032 5902479662060 ESS ROOM TEMPER are measurement EAN code 5902479661056 5902479662084 ESS FLOOR TEMPEF re measurement EAN code 5902479661643 ELESS OUTDOOR TE	WG.23.0183 JRE SENSOR Catalogue number WG.03.0072 WG.03.0075 ATURE SENSOR Catalogue number WG.03.0079 WG.03.0079 WG.03.0082 RATURE SENSOR Catalogue number WG.03.0079 WG.03.0079 WG.03.0079 WG.03.0079 WG.03.0076	BLACK - Extended delivery time Colour WHITE BLACK - Extended delivery time Colour WHITE BLACK - Extended delivery time Colour Colour Colour	Price 23 t



Photo			Product description		Net price
		VIRELESS ROOM TEN	IPERATURE AND HUMI	DITY SENSOR	
Name	Communication	EAN code	Catalogue number	Colour	Price
EU- CL-mini	wireless TECH WTP	5902479662817	WG.03.0084	WHITE	44 €
	Functions: room temperat no backlit			mperature sensor, LCD display, 2xAAA Batteries, ly.	
Name	Communication	EAN code	Catalogue number	Colour	Price
EU- R-8b	wireless TECH WTP	5902479661070	WG.11.0188	WHITE	53 €
	WICICSS FEOTWIT	5902479662091	WG.11.0192	BLACK - Extended delivery time	J3 €
- <mark>° 22.3</mark> 1 - 		ttons		mperature sensor, LCD display, 2xAA batteries, no backlit,	
Name	Communication	EAN code	Catalogue number	Colour	Price
EU- R-8x	wireless TECH WTP	5902479665924 5902479666099	WG.11.0734 WG.11.0760	WHITE BLACK - Extended delivery time	52 €
	Eunctions: room temperat	ure control beating program	I REGULATOR	nerature and humidity sensor additional control based on	
· 22.3	floor temperatu	ure (in case of using NTC floo	with time limit. Bulit-in room tem	aperature and humidity sensor, additional control based on play, 2xAAA Batteries, no backlit ly.	
Name	floor temperatu	ure (in case of using NTC floo case of lack of colour select EAN code	with time limit. Bulit-in room tem r sensor - not included), LCD dis ion color will be chosen random Catalogue number	play, 2xAAA Batteries, no backlit ly. Colour	Price
Name EU- R-8b PLUS	floor temperatu * White or black casing. In	ure (in case of using NTC floo case of lack of colour select	with time limit. Bulit-in room tem r sensor - not included), LCD dis ion color will be chosen random	play, 2xAAA Batteries, no backlit ly.	Price 71€
EU- R-8b PLUS	floor temperature * White or black casing. In Communication wireless TECH WTP EU-R-8s PLL Functions: room temperature floor temperature * White or black casing. In	In the second se	with time limit. Bulit-in room terr r sensor - not included), LCD dis ion color will be chosen random Catalogue number WG.11.0195 WG.11.0196 REGULATOR with time limit. Bulit-in room terr r sensor - not included), LCD disp ion color will be chosen random	play, 2xAAA Batteries, no backlit ly. Colour WHITE BLACK - Extended delivery time uperature and humidity sensor, additional control based on play with temporary backlit, 2xAAA Batteries, ly.	71 €
EU- R-8b PLUS	floor temperature * White or black casing. In Communication wireless TECH WTP EUJ-R-8s PLLL Functions: room temperature floor temperature * White or black casing. In Communication	ure (in case of using NTC floc case of lack of colour select EAN code 5902479663654 JS WIRELESS ROOM ure control, heating program re (in case of using NTC floo	with time limit. Bulit-in room terr r sensor - not included), LCD dis ion color will be chosen random Catalogue number WG.11.0195 WG.11.0196 IREGULATOR with time limit. Bulit-in room terr r sensor - not included), LCD disp	play, 2xAAA Batteries, no backlit ly. Colour WHITE BLACK - Extended delivery time sperature and humidity sensor, additional control based on play with temporary backlit, 2xAAA Batteries,	71 € Price
EU- R-8b PLUS	floor temperature * White or black casing. In Communication wireless TECH WTP EU-R-8s PLL Functions: room temperature floor temperature * White or black casing. In	In the second se	with time limit. Bulit-in room terr r sensor - not included), LCD dis ion color will be chosen random Catalogue number WG.11.0195 WG.11.0196 IREGULATOR with time limit. Bulit-in room terr r sensor - not included), LCD disp ion color will be chosen random Catalogue number	play, 2xAAA Batteries, no backlit ly. Colour WHITE BLACK - Extended delivery time superature and humidity sensor, additional control based on play with temporary backlit, 2xAAA Batteries, ly. Colour	71 €
EU- R-8b PLUS	floor temperatures floor temperatures white or black casing. In Communication wireless TECH WTP EU-R-8s PLL Functions: room temperatures white or black casing. In Communication wireless TECH WTP EU-R-8pz PL Functions: room temperatures on floor temperatures on flo	In the second se	with time limit. Bulit-in room terr r sensor - not included), LCD dis ion color will be chosen random WG.11.0195 WG.11.0195 WG.11.0196 IREGULATOR with time limit. Bulit-in room terr sensor - not included), LCD disp ion color will be chosen random Catalogue number WG.11.0644 WG.11.0696 IMREGULATOR (FLUSH) with time limit. Bulit-in room te	play, 2xAAA Batteries, no backlit ly. Colour WHITE BLACK - Extended delivery time apperature and humidity sensor, additional control based on play with temporary backlit, 2xAAA Batteries, ly. Colour WHITE BLACK - Extended delivery time I-MOUNTED) mperature and humidity sensor, additional control based CD display with temporary backlit, powered 230V, Flush	71 € Price
EU- R-8b PLUS	floor temperatures floor temperatures white or black casing. In Communication wireless TECH WTP EU-R-8s PLL Functions: room temperatures white or black casing. In Communication wireless TECH WTP EU-R-8pz PL Functions: room temperatures on floor temperatures on flo	In the second se	with time limit. Bulit-in room terr r sensor - not included), LCD dis ion color will be chosen random WG.11.0195 WG.11.0195 WG.11.0196 IREGULATOR with time limit. Bulit-in room terr r sensor - not included), LCD disp ion color will be chosen random Catalogue number WG.11.0644 WG.11.0696 MREGULATOR (FLUSH with time limit. Bulit-in room terr	play, 2xAAA Batteries, no backlit ly. Colour WHITE BLACK - Extended delivery time apperature and humidity sensor, additional control based on play with temporary backlit, 2xAAA Batteries, ly. Colour WHITE BLACK - Extended delivery time I-MOUNTED) mperature and humidity sensor, additional control based CD display with temporary backlit, powered 230V, Flush	71 € Price
EU- R-8b PLUS Name EU- R-8s PLUS	floor temperatures floor temperatures white or black casing. In Communication wireless TECH WTP EU-R-8s PLL Functions: room temperatures white or black casing. In Communication wireless TECH WTP EU-R-8pz PL Europeratures on floor temperatures	In the second se	with time limit. Bulit-in room terr r sensor - not included), LCD dis ion color will be chosen random WG.11.0195 WG.11.0195 WG.11.0196 REGULATOR with time limit. Bulit-in room terr r sensor - not included), LCD disp ion color will be chosen random Catalogue number WG.11.0644 WG.11.0696 WREGULATOR (FLUSH with time limit. Bulit-in room ter floor sensor - not included), LCD ion color will be chosen random Catalogue number with time limit. Bulit-in room ter floor sensor - not included), LCD ion color will be chosen random Catalogue number WG.11.0701	play, 2xAAA Batteries, no backlit ly. Colour WHITE BLACK - Extended delivery time apperature and humidity sensor, additional control based on play with temporary backlit, 2xAAA Batteries, ly. Colour WHITE BLACK - Extended delivery time Image: the standard delivery time BLACK - Extended delivery time H-MOUNTED) emperature and humidity sensor, additional control based CD display with temporary backlit, powered 230V, Flush ly. Colour WHITE MUTE MHITE	71 € Price 102 €
EU- R-8b PLUS Name EU- R-8s PLUS	floor temperature * White or black casing. In Communication wireless TECH WTP EUJ-R-8s PLLU Functions: room temperature * White or black casing. In Communication wireless TECH WTP EUJ-R-8pz PL Functions: room temperature on floor temperature White or black casing. In Communication wireless TECH WTP EUJ-F-8z WIRE Functions: room temperature on floor temperature Structure EUJ-F-8z WIRE Functions: room temperature on floor temperature wireless TECH WTP	In case of using NTC floc case of lack of colour select EAN code 5902479663647 5902479663654 US WIRELESS ROOM ure control, heating program re (in case of using NTC floor case of lack of colour select EAN code 5902479664385 5902479664385 5902479664378 US WIRELESS ROOC ure control, heating program rature (in case of using NTC ectrical box (ø60mm) re case of lack of colour select EAN code 5902479665023 5902479665030 LESS ROOM REGULA ure control, heating program rature (in case of using NTC electrical box (ø60mm)	with time limit. Bulit-in room terr r sensor - not included), LCD dis ion color will be chosen random WG.11.0195 WG.11.0195 WG.11.0196 REGULATOR with time limit. Bulit-in room terr r sensor - not included), LCD dis ion color will be chosen random Catalogue number WG.11.0644 WG.11.0644 WG.11.0644 WG.11.0696 MREGULATOR (FLUSH with time limit. Bulit-in room te floor sensor - not included), LCD ion color will be chosen random Catalogue number WG.11.0701 WG.11.0702 TOR (FLUSH-MOUNTEL with time limit. Bulit-in room te floor sensor - not included), LCD with time limit. Bulit-in room te	play, 2xAAA Batteries, no backlit ly. Colour WHITE BLACK - Extended delivery time perature and humidity sensor, additional control based on play with temporary backlit, 2xAAA Batteries, ly. Colour WHITE BLACK - Extended delivery time I-MOUNTED) meperature and humidity sensor, additional control based CD display with temporary backlit, powered 230V, Flush ly. Colour WHITE BLACK - Extended delivery time) meperature and humidity sensor, additional control based CD display with temporary backlit, powered 230V, Flush ly. Colour WHITE BLACK - Extended delivery time) meperature and humidity sensor, additional control based CD display with temporary backlit, powered 230V, Flush ly.	71 € Price 102 € Price
EU- R-8b PLUS Name EU- R-8s PLUS EU- R-8s PLUS EU- R-8pz PLUS EU- R-8pz PLUS EU- R-8pz PLUS	floor temperature * White or black casing. In Communication Wireless TECH WTP EU-R-8s PLL Functions: room temperature * White or black casing. In Communication Wireless TECH WTP EU-R-8pz PL Functions: room temperature mountable in el * White or black casing. In Communication Wireless TECH WTP EU-F-8z WIRE Functions: room temperature mountable in el * White or black casing. In Wireless TECH WTP	In case of using NTC floc case of lack of colour select EAN code 5902479663654 US WIRELESS ROOM ure control, heating program re (in case of using NTC floo case of lack of colour select EAN code 5902479664385 5902479664378 US WIRELESS ROO ure control, heating program rature (in case of using NTC ectrical box (ø60mm) case of lack of colour select EAN code 5902479665023 5902479665030 LESS ROOM RECULA ure control, heating program rature (in case of using NTC ectrical box (ø60mm) case of lack of colour select	with time limit. Bulit-in room terr r sensor - not included), LCD dis ion color will be chosen random WG.11.0195 WG.11.0195 WG.11.0196 I REGULATOR with time limit. Bulit-in room terr r sensor - not included), LCD disp ion color will be chosen random Catalogue number WG.11.0644 WG.11.0696 MREGULATOR (FLUSH with time limit. Bulit-in room te catalogue number WG.11.0701 WG.11.0701 WG.11.0702 TOR (FLUSH-MOUNTEL with time limit. Bulit-in room te Catalogue number WG.11.0701 WG.11.0702	play, 2xAAA Batteries, no backlit ly. Colour WHITE BLACK - Extended delivery time apperature and humidity sensor, additional control based on play with temporary backlit, 2xAAA Batteries, ly. Colour WHITE BLACK - Extended delivery time H-MOUNTED) Imperature and humidity sensor, additional control based CD display with temporary backlit, powered 230V, Flush ly. Colour WHITE BLACK - Extended delivery time Imperature and humidity sensor, additional control based CD display with temporary backlit, powered 230V, Flush ly. Imperature and humidity sensor, additional control based CD display with temporary backlit, powered 230V, Flush ly.	71 € Price 102 € Price 140 €
EU- R-8b PLUS	floor temperature * White or black casing. In Communication wireless TECH WTP EUJ-R-8s PLLU Functions: room temperature * White or black casing. In Communication wireless TECH WTP EUJ-R-8pz PL Functions: room temperature on floor temperature White or black casing. In Communication wireless TECH WTP EUJ-F-8z WIRE Functions: room temperature on floor temperature Structure EUJ-F-8z WIRE Functions: room temperature on floor temperature wireless TECH WTP	In case of using NTC floc case of lack of colour select EAN code 5902479663647 5902479663654 US WIRELESS ROOM ure control, heating program re (in case of using NTC floor case of lack of colour select EAN code 5902479664385 5902479664385 5902479664378 US WIRELESS ROOC ure control, heating program rature (in case of using NTC ectrical box (ø60mm) re case of lack of colour select EAN code 5902479665023 5902479665030 LESS ROOM REGULA ure control, heating program rature (in case of using NTC electrical box (ø60mm)	with time limit. Bulit-in room terr r sensor - not included), LCD dis ion color will be chosen random WG.11.0195 WG.11.0195 WG.11.0196 REGULATOR with time limit. Bulit-in room terr r sensor - not included), LCD dis ion color will be chosen random Catalogue number WG.11.0644 WG.11.0644 WG.11.0644 WG.11.0696 MREGULATOR (FLUSH with time limit. Bulit-in room te floor sensor - not included), LCD ion color will be chosen random Catalogue number WG.11.0701 WG.11.0702 TOR (FLUSH-MOUNTEL with time limit. Bulit-in room te floor sensor - not included), LCD with time limit. Bulit-in room te	play, 2xAAA Batteries, no backlit ly. Colour WHITE BLACK - Extended delivery time perature and humidity sensor, additional control based on play with temporary backlit, 2xAAA Batteries, ly. Colour WHITE BLACK - Extended delivery time I-MOUNTED) meperature and humidity sensor, additional control based CD display with temporary backlit, powered 230V, Flush ly. Colour WHITE BLACK - Extended delivery time) meperature and humidity sensor, additional control based CD display with temporary backlit, powered 230V, Flush ly. Colour WHITE BLACK - Extended delivery time) meperature and humidity sensor, additional control based CD display with temporary backlit, powered 230V, Flush ly.	71 € Price 102 € Price

Photo			Product description		Net price
	EU-R-8 LED WIRELESS ROOM REGULATOR (FLUSH-MOUNTED) Functions: room temperature control, heating program with time limit. Bulit-in room temperature and humidity sensor, additional control based on floor temperature (in case of using NTC floor sensor - not included), LCD display with temporary backlit, powered 230V, Flush mountable in electrical box (ø60mm) * White or black casing. In case of lack of colour selection color will be chosen randomly				
		1	,	0.1	
Name R-8 LED	Communication wireless TECH WTP	EAN code 5902479666433	Catalogue number WG.11.0745	Colour WHITE	Price 96 €
	EU-C-2N windor Functions: wireless com Power: EVE ER1	nmunication, window open	ing signal, heating control, comp	pact in size, long-life battery, discreet design.	
Name	Communication	EAN code	Catalogue number	Colour	Price
		5902479661339	WG.03.0070	RAL 9010- WHITE	
EU- C-2n	wireless TECH WTP	5902479664248	WG.03.0069	RAL 7016 - antracite	46 €
		5902479664255	WG.03.0071	RAL 8017 - brown	70 €
		5902479664262	WG.03.0068	RAL 8003 - golden oak	
		ERATURE SEN ation) 1,5m - extra charge for	SOR - NTC TYPE each meter: 1 EUR NETTO		
Name	Communication	EAN code	Catalogue number	Colour	Price
NTC 150cm		5902479661209	WG.01.0031		21 €
NTC 150CIII					
NTC 250cm	EU-MW-1 EXE		WG.01.0032		22 €
NTC 250cm	Main assets: voltage-free controller or indicating: con	CUTIVE MODULE relay (EU-MW-1) or voltage temperature sensor (master mmunication, power, manual	relay (EU-MW-1-230V), operation in /slave mode), in case of loss of co mode, contact status	manual mode, wireless communication with main mmunication, the contact is switched off. 4 LEDs	
NTC 250cm	Main assets: voltage-free controller or	CUTIVE MODULE relay (EU-MW-1) or voltage temperature sensor (master mmunication, power, manual EAN code	relay (EU-MW-1-230V), operation in /slave mode), in case of loss of co mode, contact status Catalogue number	mmunication, the contact is switched off. 4 LEDs Colour	
NTC 250cm	Main assets: voltage-free controller or indicating: con	CUTIVE MODULE relay (EU-MW-1) or voltage temperature sensor (master mmunication, power, manual	relay (EU-MW-1-230V), operation in /slave mode), in case of loss of co mode, contact status	mmunication, the contact is switched off. 4 LEDs	22 € Price
NTC 250cm	Main assets: voltage-free controller or i indicating: col Communication wireless TECH WTP EU-MWN-1 EX Main assets: voltage-free	CUTIVE MODULE relay (EU-MW-1) or voltage temperature sensor (master mmunication, power, manual EAN code 5902479661346 5902479662374 XECUTIVE MODULE	relay (EU-MW-1-230V), operation in /slave mode), in case of loss of co mode, contact status Catalogue number WG.05.0114 WG.05.0116 relay (EU-MWN-1-230V), wireless co	mmunication, the contact is switched off. 4 LEDs Colour WHITE	22€
NTC 250cm	Main assets: voltage-free controller or i indicating: col Communication wireless TECH WTP	CUTIVE MODULE relay (EU-MW-1) or voltage temperature sensor (master mmunication, power, manual EAN code 5902479661346 5902479662374 XECUTIVE MODULE relay (EU-MWN-1) or voltage of communication, the conta EAN code	relay (EU-MW-1-230V), operation in /slave mode), in case of loss of co mode, contact status Catalogue number WG.05.0114 WG.05.0116 relay (EU-MWN-1-230V), wireless co ct is switched off Catalogue number	mmunication, the contact is switched off. 4 LEDs Colour WHITE WHITE mmunication with main controller (slave mode), in Colour	22 € Price
NTC 250cm	Main assets: voltage-free controller or indicating: controller or indicating: controller or wireless TECH WTP EU-MWN-1 EV Main assets: voltage-free r case of loss or controller or indicating of the case of loss or controller or indicating of the case of loss or controller or indicating of the case of loss or controller or indicating of the case of loss or controller or indicating of the case of loss or controller or indicating of the case of loss or controller or indicating of the case of loss or controller or indicating of the case of loss or controller or indicating of the case of loss or controller or indicating of the case of loss or controller or indicating of the case of loss or controller or case of loss or controller or indicating of the case of loss or controller or case of loss o	CUTIVE MODULE relay (EU-MW-1) or voltage temperature sensor (master mmunication, power, manual EAN code 5902479661346 5902479662374 XECUTIVE MODULE relay (EU-MWN-1) or voltage of communication, the contac EAN code 5902479664507	relay (EU-MW-1-230V), operation in /slave mode), in case of loss of co mode, contact status Catalogue number WG.05.0114 WG.05.0116 relay (EU-MWN-1-230V), wireless co ct is switched off Catalogue number WG.05.0197	mmunication, the contact is switched off. 4 LEDs Colour WHITE WHITE wmmunication with main controller (slave mode), in	22 € Price 114 €
NTC 250cm	Main assets: voltage-free controller or i indicating: con wireless TECH WTP EU-MWN-1 EV Main assets: voltage-free r case of loss of Communication wireless TECH WTP STT-869 wIREL Technical data: Output – n	CUTIVE MODULE relay (EU-MW-1) or voltage temperature sensor (master mmunication, power, manual EAN code 5902479661346 5902479662374 XECUTIVE MODULE relay (EU-MWN-1) or voltage of communication, the conta EAN code 5902479664507 5902479664392 ESS ELECTRIC ACTUATO nut with M30x1,5 thread; Com	relay (EU-MW-1-230V), operation in /slave mode), in case of loss of co mode, contact status Catalogue number WG.05.0114 WG.05.0116 relay (EU-MWN-1-230V), wireless co ct is switched off Catalogue number WG.05.0197 WG.05.0117	mmunication, the contact is switched off. 4 LEDs Colour WHITE WHITE ommunication with main controller (slave mode), in Colour WHITE WHITE BMHZ; power supply: 2xAA 1,5V batteries. new	22 € Price 114 € Price
NTC 250cm Name EU- MW-1 EU- MW-1 230 Name EU- MWN-1 EU- MWN-1 EU- MWN-1 230	Main assets: voltage-free controller or i indicating: con wireless TECH WTP EU-MWN-1 EV Main assets: voltage-free r case of loss of Communication wireless TECH WTP STT-869 wIREL Technical data: Output – n	CUTIVE MODULE relay (EU-MW-1) or voltage temperature sensor (master mmunication, power, manual EAN code 5902479661346 5902479662374 XECUTIVE MODULE relay (EU-MWN-1) or voltage of communication, the conta EAN code 5902479664507 5902479664392 ESS ELECTRIC ACTUATO nut with M30x1,5 thread; Com	relay (EU-MW-1-230V), operation in /slave mode), in case of loss of co mode, contact status Catalogue number WG.05.0114 WG.05.0116 Catalogue number WG.05.0197 WG.05.0117 DR umunication – wireless, frequency 866	mmunication, the contact is switched off. 4 LEDs Colour WHITE WHITE ommunication with main controller (slave mode), in Colour WHITE WHITE BMHZ; power supply: 2xAA 1,5V batteries. new	22 € Price 114 € Price
NTC 250cm Name EU- MW-1 EU- MW-1 230 Name EU- MWN-1 EU- MWN-1 230 Name EU- MWN-1 230	Main assets: voltage-free controller or indicating: controller or	CUTIVE MODULE relay (EU-MW-1) or voltage temperature sensor (master mmunication, power, manual EAN code 5902479661346 5902479662374 XECUTIVE MODULE relay (EU-MWN-1) or voltage of communication, the conta EAN code 5902479664507 5902479664392 ESS ELECTRIC ACTUATO tut with M30x1,5 thread; Com istration button built on the f	relay (EU-MW-1-230V), operation in /slave mode), in case of loss of co mode, contact status Catalogue number WG.05.0114 WG.05.0116 relay (EU-MWN-1-230V), wireless co ct is switched off Catalogue number WG.05.0197 WG.05.0117 DR munication – wireless, frequency 86i ront of actuator, Available thread M28	mmunication, the contact is switched off. 4 LEDs Colour WHITE WHITE ommunication with main controller (slave mode), in Colour WHITE WHITE BMHz; power supply: 2xAA 1,5V batteries. new 8x1,5 adapter	22 € Price 114 € Price 114 €
NTC 250cm IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Main assets: voltage-free controller or i indicating: con wireless TECH WTP EU-MWN-1 E Main assets: voltage-free I case of loss of Communication wireless TECH WTP STTT-869 wIREL Technical data: Output - m design, regi Communication wireless TECH WTP G-X wIRELESS E Technical data: Output - m	CUTIVE MODULE relay (EU-MW-1) or voltage temperature sensor (master mmunication, power, manual EAN code 5902479661346 5902479662374 XECUTIVE MODULE relay (EU-MWN-1) or voltage of communication, the contage for communication, the contage 5902479664392 ESS ELECTRIC ACTUATO Ut with M30x1,5 thread; Com istration button built on the f EAN code 5902479662381	relay (EU-MW-1-230V), operation in /slave mode), in case of loss of co mode, contact status Catalogue number WG.05.0114 WG.05.0116 relay (EU-MWN-1-230V), wireless co ct is switched off Catalogue number WG.05.0197 WG.05.0117 PR munication – wireless, frequency 86i ront of actuator, Available thread M28 Catalogue number WG.12.0016	mmunication, the contact is switched off. 4 LEDs Colour WHITE WHITE Immunication with main controller (slave mode), in Colour WHITE WHITE 8MHz; power supply: 2xAA 1,5V batteries. new 8xN1,5 adapter Colour	22 € Price 114 € Price 114 € Price
NTC 250cm IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Main assets: voltage-free controller or i indicating: con wireless TECH WTP EU-MWN-1 E Main assets: voltage-free I case of loss of Communication wireless TECH WTP STTT-869 wIREL Technical data: Output - m design, regi Communication wireless TECH WTP G-X wIRELESS E Technical data: Output - m	CUTIVE MODULE relay (EU-MW-1) or voltage temperature sensor (master mmunication, power, manual EAN code 5902479661346 5902479662374 XECUTIVE MODULE relay (EU-MWN-1) or voltage of communication, the contage for communication, the contage S902479664392 ESS ELECTRIC ACTUATOR ut with M30x1,5 thread; Com istration button built on the f EAN code 5902479662381 LECTRIC ACTUATOR nut with M30x1,5 thread; Com	relay (EU-MW-1-230V), operation in /slave mode), in case of loss of co mode, contact status Catalogue number WG.05.0114 WG.05.0116 relay (EU-MWN-1-230V), wireless co ct is switched off Catalogue number WG.05.0197 WG.05.0117 PR munication – wireless, frequency 86i ront of actuator, Available thread M28 Catalogue number WG.12.0016	mmunication, the contact is switched off. 4 LEDs Colour WHITE WHITE ommunication with main controller (slave mode), in Colour WHITE BMHz; power supply: 2xAA 1,5V batteries. new 8x1,5 adapter Colour WHITE	22 € Price 114 € Price 114 € Price



Photo			Product description		Net price
	ACTUATOR IS NORMALLY	nut with M30 x 1,5 or M28x1,		nm, Class: IP40. Opening time: under 5 min. Max. operation	
Name	Communication	EAN code	Catalogue number		Price
STT-230/2 M30x1,5		5902479660691	WG.01.0050		24.6
STT-230/2 M28x1,5		5902479661490	WG.01.0051		34 €
Name	Communication		Catalogue number	Opening time: under 3,5 min. Stroke - 3,7mm,Max. operation	Price
STT-230/2 T M30x1,5 STT-230/2 T M28x1,5		5902479663630	WG.01.0053 WG.01.0054		24€
		1			27 €
TELOUIS	ACTUATOR IS NORMALLY	nut with M30 x 1,5 screw th		time: under 4 min. to 3mm, Stroke - 5mm,Max. operation	27 €
Name	ACTUATOR IS NORMALLY Technical Data: Fittings:	CLOSED (NC). nut with M30 x 1,5 screw th		time: under 4 min. to 3mm, Stroke - 5mm,Max. operation	Price
	ACTUATOR IS NORMALLY Technical Data: Fittings: temperature: 60°C. Power	CLOSED (NC). nut with M30 x 1,5 screw th supply: 230V 50Hz	read, Class - IP42. Opening	time: under 4 min. to 3mm, Stroke - 5mm,Max. operation	
Name	ACTUATOR IS NORMALLY Technical Data: Fittings: temperature: 60°C. Power Communication	CLOSED (NC). nut with M30 x 1,5 screw th supply: 230V 50Hz EAN code	read, Class - IP42. Opening Catalogue number WG.01.0052	time: under 4 min. to 3mm, Stroke - 5mm,Max. operation	Price
Name	ACTUATOR IS NORMALLY Technical Data: Fittings: temperature: 60°C. Power Communication	CLOSED (NC). nut with M30 x 1,5 screw th supply: 230V 50Hz EAN code 5902479665108	read, Class - IP42. Opening Catalogue number WG.01.0052	time: under 4 min. to 3mm, Stroke - 5mm,Max. operation	Price





TECH CONTROLLERS

ul. Biała Droga 31 34-122 Wieprz koło Andrychowa tel. +48 33 330 00 07 e-mail: poczta@techsterowniki.pl



TECH CONTROLLERS reserves the right to introduce changes to the technical parameters, equipment, and specifications of the offered goods without prior notice. All information contained in this catalogue, particularly presented photographs, specifications, descriptions, drawings, or technical parameters, do not constitute a warranty within the meaning of Article 4(3) and (4) of the Act of 27 July 2002 on specific terms and conditions of consumer sales and amending the Civil Code (hereinafter referred to as the "Act"), nor do they constitute a description of the goods within the meaning of Article 4(2) of the Act.

This catalogue does not constitute an offer within the meaning of Article 66 of the Civil Code.

www.sinum.eu